

WUNDERLICH

"Durabestos"

HYDRAULICALLY COMPRESSED

—ASBESTOS-CEMENT—

SLATES

DURABESTOS DURABESTOS THE DURABLE

WUNDERLICH LIMITED, Manufacturers.

DURABESTOS

ASBESTOS - CEMENT
SLATES

DURABESTOS, the Durable, is made from the indestructible mineral-fibre, Asbestos, the most efficient Insulator. This is thoroughly incorporated with tested high-grade Australian Cement. Layer upon layer of asbestos and cement builds up the sheet, which is submitted to powerful hydraulic pressure, forming fine-surfaced, even-graded, finished Wunderlich Durabestos Sheets and Slates.

Throughout the manufacture, the standardisation of materials and work is supervised by a trained technical staff of experts.

For every class of building Durabestos is here to assist you in building with economy, security from fire hazards, durability, proof against all weather, and indestructibility by vermin and white ants.



WUNDERLICH LIMITED,
Manufacturers.

DURABESTOS

ASBESTOS - CEMENT

—— SLATES ——



Showing method of application for Diagonal Slates.

Slates lie diagonally exposed 12in. x 12 in. to the weather.

How to Fix.

The construction of a roof covered with DURABESTOS Diamond Shape Slates is the same as with ordinary slate roofing, and can be accomplished by any tradesman. Set out the battens as spaced on diagram, mark on the battens a vertical line for the point of slate; this indicates the position for each slate. Commence laying at the eaves course with cut slates. These are nailed in position. Between the joints of the third row of slates commence to place the copper rivet or crampon. This holds the point of the slates. From this continue on to ridge with whole slates, keeping to vertical line, and the roofing will lie true and even.

100 slates cover 100 super feet of roofing (exclusive of allowance for cutting).

170 lineal feet of 2in. x 1in. Oregon battens to square.

100 copper crampons.

1lb. 1½in. No. 13 galvanised slaters' nails.

1lb. 2¼in. No. 11 wire nails for battens.

Total weight slates per 100 square feet equals 320lbs. fixed.

WUNDERLICH LIMITED,
Manufacturers.

WUNDERLICH

"DURABESTOS"

HYDRAULICALLY COMPRESSED
—— ASBESTOS - CEMENT ——

ROOFING SLATES

□ □ □

Diamond Slates in stock size.

Size No. 1.	Weight each.	Approximate Weights.	
		Crated per 100 Slates.	Shipping Measurements.
16in. x 16in.	3lbs.	Cwt. Qrs. lbs. 2 3 17	Measurement, 4½ cubic feet

DURABESTOS Slates should appeal to every home and builder, because—

They make an attractive roof and improve the appearance of the home.

They last a lifetime without repairs.

They are fire, heat, and weather resisting.

They improve with age.

Economy and Durability.—They are less in weight and stronger than ordinary slates, hence a very considerable saving in materials, labor, and freight charges. Wunderlich Durabestos Slates and Sheets can be cut or sawn, and nailed by the use of ordinary carpenter's tools.

WUNDERLICH LIMITED

Manufacturers.

Head Office:

Baptist Street, Redfern, N.S.W.

Postal Address:

Box 474, G.P.O., Sydney.

SYDNEY: 56 Pitt Street.	MELBOURNE: 243 Collins St.	ADELAIDE: 119 Currie St.	PERTH: Lord St., East Perth
NEWCASTLE: 53 Hunter St.	HOBART: St. John St.	LAUNCESTON: Macquarie St.	BRISBANE: Amelia St., Valley.

Deaton & Spencer, Printers, Sydney.